NANKARROW FABRIC COLLECTION

GeoWeave Breathe

A contemporary acoustic panel fabric with woven texture, recycled polyester content and a refined 30-shade colour library for interior acoustic surfaces.

100%
recycled polyester content

365-375
GSM fabric weight

54 in
4.5 ft usable width

0.96
NRC in panel application

Colour library

30 woven shades

GeoWeave Breathe

Colour collection

Updated colour board using the supplied woven swatches and revised colour names, arranged with larger swatches and clear labels.

BESPOKE ACOUSTIC SOLUTIONS
NANKARROW
EST. 1972

White	Ivory	Beige	Dark Beige	Cappuccino	Amber
Orange	Peach	Rose Gold	Rust Brown	Silver Grey	Slate Grey
Stone Grey	Charcoal Grey	Black	Mint Green	Olive Green	Lime Green
Dark Green	Bottle Green	Teal	Turquoise	Storm Blue	Olympic Blue
Cobalt Blue	Midnight Blue	Fire Red	Burgundy	French Rose	Violet

GeoWeave Breathe

Technical summary

Specification, care and performance information redrawn for quicker reading with the updated fire rating.

Specifications

Content	35% post-consumer recycled polyester 65% pre-consumer recycled polyester
Weight	365-375 GSM
Width	54 in / 4.5 ft
Repeat	none
Construction note	directional fabric

Performance

Colorfastness to light	AATCC 16 Option 3 - Grade 4 min. at 50 hours
Colorfastness to crocking	AATCC 8 - Grade 4 min. dry and Grade 3 min. wet
Breaking strength	ASTM D5034 - 275 lbf min. warp and fill
Fire rating (Optional)	IS 15061:2002

Acoustical performance

Panel applications - ISO 10534-2



NRC anechoic termination
1.00

NRC with GeoWeave Breathe
0.96

Cleaning and notes

Cleaning Code W-S: Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.
Every effort has been made to ensure colour accuracy of digital images; order a sample before specification. Application testing is recommended. Proudly woven in Indonesia / China / India supporting local communities.